Telefax: +49 7231 803 295

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elektrolyte salt

Revision date: 10.03.2020 Product code: 097-006 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Elektrolyte salt

Further trade names

Article No.: 097-006-00

REACH Registration Number: 01-2119487136-33-XXXX

CAS No: 1310-58-3 Index No: 019-002-00-8 EC No: 215-181-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Health services.

1.3. Details of the supplier of the safety data sheet

Company name: DENTAURUM GmbH & Co. KG

 Street:
 Turnstr. 31

 Place:
 D-75228 Ispringen

 Telephone:
 +49 7231 803 0

e-mail: info@dentaurum.de Internet: www.dentaurum.com

Further Information

Emergency telephone:

07:00 - 16:15 (Mo - Do), 07:00 - 13:15 (Fr) +49 7231 803 184 16:15 - 18:00 (Mo - Do), 13:15 - 18:00 (Fr) +49 7231 803 0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Hazard Statements: Harmful if swallowed.

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

potassium hydroxide; caustic potash

Signal word: Danger

Pictograms:





Hazard statements

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

according to Regulation (EC) No 1907/2006

Elektrolyte salt

Revision date: 10.03.2020 Product code: 097-006 Page 2 of 8

Precautionary statements

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses. if

present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

2.3. Other hazards

none

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

potassium hydroxide: caustic potash

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification				
1310-58-3	potassium hydroxide; cau	potassium hydroxide; caustic potash			
	215-181-3	019-002-00-8			
	Acute Tox. 4, Skin Corr. 1A; H302 H314				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with: Water. Subsequently wash off with: Polyethylene glykol 400. Remove contaminated, saturated clothing immediately.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Hazards identification: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and etching

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Foam. Extinguishing powder. Carbon dioxide (CO2). Water fog.

according to Regulation (EC) No 1907/2006

Elektrolyte salt

Revision date: 10.03.2020 Product code: 097-006 Page 3 of 8

5.2. Special hazards arising from the substance or mixture

none

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove persons to safety. Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Disposal: see section 13 Safe handling: see section 7

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. Avoid contact with skin, eyes and clothes.

Notice the directions for use on the label.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed.

Keep only in the original container.

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

according to Regulation (EC) No 1907/2006

Elektrolyte salt

Revision date: 10.03.2020 Product code: 097-006 Page 4 of 8

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Recommendation:

Dermatril 740 Single-use gloves. NBR (Nitrile rubber). 0,11 mm penetration time (maximum wearing period): 480 min. REF 162-907-00 (7/S), REF 162-908-00 (8/M), REF 162-909-00 (9/L)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): approx. 14 at g/L 56

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

Flash point:

not applicable

Sustaining combustion:

No data available

Flammability

Solid: No data available
Gas: No data available

Explosive properties

The product is not: explosive

Lower explosion limits:not applicableUpper explosion limits:not applicableIgnition temperature:not applicableDecomposition temperature:No data available

Oxidizing properties

The product is not: Flammable

Vapour pressure:

Vapour pressure:

No data available

Density (at 20 °C):

2,04 g/cm³

according to Regulation (EC) No 1907/2006

	Elektrolyte salt	
Revision date: 10.03.2020	Product code: 097-006	Page 5 of 8

Bulk density: 1300 kg/m³ Water solubility: 1120 g/L

(at 20 °C)

Partition coefficient: No data available Viscosity / dynamic: No data available No data available Viscosity / kinematic: No data available Flow time: Vapour density: No data available No data available Evaporation rate: No data available Solvent separation test: No data available Solvent content:

9.2. Other information

Solid content: No data available

Corrosion: May be corrosive to metals. Odour threshold: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Exothermic reactions with: Water.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibly extensive generation of hydrogen on contact with amphoteric metals (e.g. aluminium, lead, zinc) (explosive hazard!).

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Acute toxicity (oral): If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Acute toxicity (inhalant): Causes burns. Coughing. shortage of breath.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
1310-58-3	potassium hydroxide; caustic potash						
	oral	LD50 27 ma/ka	73	Rat	RTECS		

Irritation and corrosivity

Irritant effect on the skin: strongly corrosive. Species: Rabbit

Irritant effect on the eye: Causes serious eye damage. Species: Rabbit

according to Regulation (EC) No 1907/2006

Elektrolyte salt

Revision date: 10.03.2020 Product code: 097-006 Page 6 of 8

Sensitising effects

no danger of sensitization.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
1310-58-3	potassium hydroxide; caustic potash						
	Acute fish toxicity	LC50	80 mg/l	96 h	Gambusia affinis	IUCLID	

12.2. Persistence and degradability

not applicable

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

The product needs to apply neutralizing agents before draining to wastewater treatment plants.

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Send to a hazardous waste incinerator facility under observation of official regulations.

List of Wastes Code - used product

060299 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of bases; wastes

not otherwise specified

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1813

14.2. UN proper shipping name: POTASSIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es):

according to Regulation (EC) No 1907/2006

	Elektrolyte salt	
Revision date: 10.03.2020	Product code: 097-006	Page 7 of 8

14.4. Packing group:

Hazard label: 8



Classification code:

Limited quantity:

Excepted quantity:

Transport category:

Hazard No:

Tunnel restriction code:

C6

1 kg

E2

Tansport category:

2

Hazard No:

80

Tunnel restriction code:

Marine transport (IMDG)

14.1. UN number: UN 1813

14.2. UN proper shipping name: POTASSIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions:

Limited quantity: 1 kg
Excepted quantity: E2
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1813

14.2. UN proper shipping name: POTASSIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Limited quantity Passenger: 5 kg

Passenger LQ: Y844

Excepted quantity: E2

IATA-packing instructions - Passenger: 859
IATA-max. quantity - Passenger: 15 kg
IATA-packing instructions - Cargo: 863
IATA-max. quantity - Cargo: 50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Yes.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

according to Regulation (EC) No 1907/2006

Elektrolyte salt

Revision date: 10.03.2020 Product code: 097-006 Page 8 of 8

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 16.

Indication of changes:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 7: Handling and storage

SECTION 9: Physical and chemical properties

SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.